

Sewage Treatment Plant Upgrades, Phase III Stockpiled Soil from Operable Unit No. 9 Sample and Analysis Report

Rocky Flats Environmental Technology Site

Prepared by

Rocky Mountain Remediation Services, L. L. C.



July 1997



SEWAGE TREATMENT PLANT UPGRADES, PHASE III STOCKPILED SOIL FROM OPERABLE UNIT NO.9 SAMPLE AND ANALYSIS REPORT

1.0 INTRODUCTION

This report was developed to support the proper disposition of stockpiled soil associated with Phase III of the Sewage Treatment Plant (STP) upgrades at the Rocky Flats Environmental Technology Site (RFETS).

In May 1996, efforts were made to locate a waste line consisting of 6-inch vitrified clay pipe. A portion of the pipe was located in the proposed STP effluent site, designated as an Individual Hazardous Substance Site (IHSS), and known as Operable Unit No. 9 (OU 9). A backhoe was used to excavate four pilot holes, in an attempt to locate the pipe. Radiological Control Technicians (RCTs) screened each bucket of soil, as it was generated, for radionuclides with a Field Instrument for the Detection of Low Energy Radiation (FIDLER). K-H Radiological Engineering had established a background measurement of 2000 cpm, based on past FIDLER surveys conducted over the entire plant site. Approximately 1000 yd³ of soil containing levels less than twice background (<4000 cpm) were stockpiled in the northwest end of the site (Figure 1.1). A sampling plan was developed to more thoroughly define levels of radioactivity in the stockpiled soil. This report documents soil sampling activities conducted on March 20, 1997.

2.0 PURPOSE

This sampling event was conducted to determine if the soil meets the radiological Tier II "put back" criteria defined by the Rocky Flats Cleanup Agreement (RFCA) Working Group and regulated under the Atomic Energy Act through 10 CFR 835 and DOE Order 5400.5. These criteria are indicated in the document *Final Rocky Flats Cleanup Agreement* (DOE 1996) and tabulated in Attachment A.

3.0 SAMPLING ACTIVITIES

A total of six (6) samples, including one (1) field duplicate, was collected from a large stockpile of soil located on the northwest end of the STP site, at locations indicated in Figure 3-1. The field duplicate was collected to correspond with the easternmost sample location. Each sample was given a unique temporary identification number which was correlated to a sample code assigned by the Analytical Projects Office (APO). The temporary sample numbers will be used in this report.

Sample collection followed *Environmental Management Department (EMD) Operating Procedures Volume/Field Operations 5-21000-0PS-FO.0.03, Containerization, Preserving, Handling, and Shipping of Soil and Water Samples, Volume 1.* Samples were collected using a 4'-long, 2"-diameter, stainless-steel hand auger, with an 8" core barrel, in alphanumerical order. Simultaneous pressure and rotation were applied to the auger until the core barrel was filled, and the recovered soil was placed in a Ziploc bag. This process was repeated using the same auger hole until refusal. Following the collection of each sample, the soil was composited within the Ziploc bag, and approximately 100g of soil was removed from the bag with a small disposable plastic scoop and placed in a pre-labeled, 250ml glass jar. An RCT scanned each sample jar with a FIDLER. Equipment was also monitored for radiological contamination during sampling activities. All






Figure 1.1. Location of Stockpiled Soil at the Sewage Treatment Plant




Figure 3.1. Soil Sample Locations

sampling equipment was decontaminated with an Alconox solution and rinsed with deionized water. Two hand augers were rotated throughout the sampling process to increase efficiency.

A sample receipt was generated by the Analytical Projects Office (APO) following the sampling event was generated following collection of each sample. The receipt outlines analyses requested, and Rocky Flats Environmental Database Group-assigned sample identification codes. The receipt is included as Attachment B.

3.0 ANALYTICAL PROCEDURES

Isotopics analyses were performed by Quanterra Laboratories. The analysis is performed by separating isotopes from the prepared sample by using ion-exchange and chromatographic extraction techniques. The sample is then electrodeposited onto counting planchets and analyzed by alpha spectrometry.

4.0 ANALYSES RESULTS

A summary of sample analyses results are included as Attachment C. A copy of the laboratory report is included as Attachment D. All results were significantly below Tier II action levels. The highest concentrations of Am 241 were detected in Sample 3, which indicated 1.03 pCi/g. All of the six (6) samples contained detectable amounts of Pu 238, at a range of 1.04 to 1.35 pCi/g, and Pu 234 at a range of 0.85 to 1.23 pCi/g. All remaining results were below 1.0 pCi/g.

5.0 ATTACHMENTS

- 5.1 Attachment A: Rocky Flats Cleanup Agreement (RFCA) Tier II Soil Action Levels
- 5.1 Attachment B: APO Sample Receipt
- 5.2 Attachment C: Summary of Laboratory Analyses Results
- 5.3 Attachment D: Laboratory Analyses Results

6.0 REFERENCES

DOE 1996. Final Rocky Flats Cleanup Agreement, July.

RMRS 1997. Field Sampling Plan to Support the Final Disposition of Soil from the Operable Unit No. 9 Source Removal Project, February.

RMRS 1997. Field Sampling Plan to Support the Final Disposition of Stockpiled Soil from the Operable Unit No. 9 Source Removal Project, April.

RMRS 1997. Sewage Treatment Plant Upgrades, Phase III Containerized Soil from Operable Unit No. 9 Sample and Analysis Report, April.



ATTACHMENT A:
Rocky Flats Cleanup Agreement (RFCA) Tier II Soil Action Levels

Sheet1

Isotope	Tier II Action Level (pCi/g)	Background (pCi/g)
Americium-241	38	0.0227
Plutonium-238	270	
Plutonium-239	252	0.066
Plutonium-240	253	0.066
Plutonium-241	3499	
Plutonium-242	266	
Uranium-234	307	2.253
Uranium-235	24	0.94
Uranium-238	103	2.00

ATTACHMENT B:
APO Sample Receipt

APO SAMPLE RECEIPT

This sample receipt is supplied to waste generators as notification of sample collection. Inquiries into the status of this sample may be directed to the Analytical Projects Office (APO) by calling 966-2403, 966-7789, or 966-3771. The APO references samples by the following identification numbers:

Report ID: **97L1426** APO Event: 97L1426-001

Waste Stream ID: Customer Sample ID: SAMPLE1 Field Blank ID: Equipment Blank ID: Trip Blank ID: Duplicate ID: Issue Date: 03/18/97

Sample Description: SOIL SAMPLES Other Id:

Sample Location: STOCKPILED SOIL N OF B995 AREA

Analyses Requested:	Bottle ID
ALPHA/BETA SCREEN (RADSCREENS) AM ISOTOPIC ISO-PLUTONIUM U233/234,235,238 OR ISO-URANIUM ALPHA/BETA SCREEN (RADSCREENS) AM ISOTOPIC ISO-PLUTONIUM U233/234,235,238 OR ISO-URANIUM ALPHA/BETA SCREEN (RADSCREENS) AM ISOTOPIC ISO-PLUTONIUM U233/234,235,238 OR ISO-URANIUM ALPHA/BETA SCREEN (RADSCREENS) AM ISOTOPIC ISO-PLUTONIUM U233/234,235,238 OR ISO-URANIUM ALPHA/BETA SCREEN (RADSCREENS) AM ISOTOPIC ISO-PLUTONIUM U233/234,235,238 OR ISO-URANIUM ALPHA/BETA SCREEN (RADSCREENS) AM ISOTOPIC ISO-PLUTONIUM U233/234,235,238 OR ISO-URANIUM ALPHA/BETA SCREEN (RADSCREENS) AM ISOTOPIC ISO-PLUTONIUM	97L1426-001.001 97L1426-001.002 97L1426-001.002 97L1426-001.002 97L1426-002.003 97L1426-002.004 97L1426-002.004 97L1426-002.004 97L1426-003.006 97L1426-003.006 97L1426-003.006 97L1426-004.007 97L1426-004.008 97L1426-004.008 97L1426-004.008 97L1426-004.008 97L1426-005.010 97L1426-005.010 97L1426-005.010
ALPHA/BETA SCREEN (RADSCREENS) AM ISOTOPIC ISO-PLUTONIUM U233/234,235,238 OR ISO-URANIUM	97L1426-006.011 97L1426-006.012 97L1426-006.012 97L1426-006.012
	000.01E

Date: 03/18/97 Page: 4

APO SAMPLE RECEIPT

This sample receipt is supplied to waste generators as notification of sample collection. Inquiries into the status of this sample may be directed to the Analytical Projects Office (APO) by calling 966-2403, 966-7789, or 966-3771. The APO references samples by the following identification numbers:

Report ID: **97L1426** APO Event: 97L1426-001

Waste Stream ID: Customer Sample ID: SAMPLE1

Duplicate ID:

Field Blank ID:

Issue Date: 03/18/97

Equipment Blank ID:

Trip Blank ID:

Sample Description: SOIL SAMPLES

Other Id:

Sample Location: STOCKPILED SOIL N OF B995 AREA

Analyses Requested:

Date Sampled: 3-20-97
Process Contact: KIRK HILBELINK Alternate Contact: MARY AYCOCK

Phone UNK

Pager 5833

Returning Excess Sample Material

Unmodified sample material remaining after analysis is generally returned to the generator. The generator must be prepared to receive and dispose of excess sample material for applicable state and federal regulations. Regulatory exclusions for returning excess sample material are specified in the Code of Colorado Regulations (CCR) 1007-3, Part 261.4(d) 'Samples'. If problems with the disposal of excess sample material are encountered, the Environmental Coordinator for the generation area should be contacted for resolution of the issues. Only sample material which has not been modified during analysis will be returned. Material which has been acidified for preservation purposed will not be returned.

INTER-DEPARTMENT DELIVERY:

Deliver To: Building:

Organization:

Date: 03/18/97

Page: 5



ATTACHMENT C:
Summary of Laboratory Analyses Results

Sheet1

Sample	Collected	Received	Nuclide	Results (pCi/g)	Counting Error	Total Error (2s)	MDA	Yield (%)	Method Number
1	03/20/97	03/27/97	Am241	0.0434	0.013	0.014	0.0079	88.80	RICHRC5057
			U234	1.02	0.094	0.014	0.0226	78.60	RICHRC5030
			U235	0.0396	0.02	0.02	0.0185	78.60	RICHRC5030
			U238	1.07	0.096	0.015	0.0058	78.60	RICHRC5030
			Pu238	0.0116	0.015	0.015	0.0249	23.70	RICHRC5010
			Pu239/40	0.0761	0.035	0.037	0.0337	23.70	RICHRC5010
2	03/20/97	03/27/97	Am241	0.148	0.023	0.027	0.0023	93.10	RICHRC5057
			U234	1.08	0.093	0.14	0.0211	81.10	RICHRC5030
		-	U235	0.0346	0.017	0.018	0.0138	81.10	RICHRC5030
			U238	1.14	0.096	0.15	0.0157	81.10	RICHRC5030
			Pu238	-0.0017	0.0024	0.0024	0.0146	28.40	RICHRC5010
			Pu239/40	0.119	0.032	0.035	0.0057	29.40	RICHRC5010
3	03/20/97	03/27/97	Am241	1.03	0,061	0.12	0.0051	87.30	RICHRC5057
			U234	0.849	0.87	0.12	0.0204	76.60	RICHRC5030
		;	U235	0.0396	0.019	0.019	0.006	76.60	RICHRC5030
			U238	1.04	0.096	0.14	0.0172	76.60	RICHRC5030
			Pu238	0.0089	0.01	0.01	0.008	20.20	RICHRC5010
		-	Pu239/40	0.435	0.072	0.092	0.0167	20.20	RICHRC5010
4	03/20/97	03/27/97	Am241	0.123	0.021	0.025	0.079	85.80	RICHRC5057
			U234	1.23	0.23	0.31	0.0701	83.20	RICHRC5030
			U235	0.03	0.038	0.038	0.0498	83.20	RICHRC5030
			U238	1.16	0.23	0.30	0.0675	83.20	RICHRC5030
			Pu238	0.00	0.00	0.0067	0.0061	27.30	RICHRC5010
			Pu239/40	0.109	0.031	0.034	0.0126	27.30	RICHRC5010
5	03/20/97	03/27/97	Am241	0.0763	0.017	0.019	0.0067	85.90	RICHRC5057
			U234	1.18	0.22	0.29	0.0692	79.50	RICHRC5030
			U235	0.0836	0.063	0.064	0.0617	79.50	RICHRC5030
			U238	1.35	0.24	0.32	0.0669	79.50	RICHRC5030
			Pu238	-0.0015	0.0021	0.0021	0.0125	35.80	RICHRC5010
			Pu239/40	0.0573	0.021	0.022	0.0102	35.80	RICHRC5010
5DUP	03/20/97	03/27/97	Am241	0.105	0.023	0.026	0.0107	79.10	RICHRC5057
			U234	1.11	0.095	0.15	0.0254	79.20	RICHRC5030
			U235	0.0473	0.02	0.021	0.014	79.20	RICHRC5030
			U238	1.17	0.098	0.15	0.0235	79.20	RICHRC5030
			Pu238	0.0043	0.0079	0.0079	0.0152	23.40	RICHRC5010
			Pu239/40	0.0592	0.025	0.026	0.0073	23.40	RICHRC5010

12

ATTACHMENT D: Laboratory Analyses Results Analytical Data Package Prepared For

KAISER-HILL

Radiochemical Analysis By


Quanterra Environmental Services Richland Laboratory

Sample Delivery Group Number:

CLIENT ID NUMBER

QUANTERRA ID NUMBER

SAMPLE 1	70342101
SAMPLE 2	70342102
SAMPLE 3	70342103
SAMPLE 4	70342104
SAMPLE 5	7034210
SAM SDUP	7034210
#1122 CD CD	•



APR-18-1997 16/39

SAMPLE RESULTS

LAB NAME:

QUANTERRA, Richland

\$ĎG:

8051

LAB SAMPLE ID:

70342101 SAMPLE 1

MATRIX:

BOIL

CLIENT ID:

DATE RECEIVED: 3/27/1997 10:30:00 AM

 <u>i</u>							
ISOTOPE	REBULT	COUNTING ERROR (2s)	TOTAL ERROR (2s)	MDA	REPORT UNIT	YIELD	METHOD NUMBER
AM-241	4.34E-02	1.35-02	1.4E-02	7.87E-03	pCi/g	88.80%	RICHRC5072
: U-234	1.02E+00	9.4E-02	1.4E-01	2,26E-02	pCl/g	78.60%	RICHRC5030
U-235	3.86E-02	2.0E-02	2.0E-02	1.85E-02	рСі/д	78.60%	RICHRC5030
U-238	1.07E+00	9.6E-02	1.5E-01	6.82E-03	p¢l/g	78.60%	RICHRC5030
PU-238	1.16E-02	1.5E-02	1.5E-02	2.49E-02	pCVg	23.70%	RICHRC5010
PU239/40	7.61년-02	\$.5E-02	3.7E-02	3.37E-02	pCl/g	23.70%	RICHROS010

אמויו מככל בעני באק

APR-18-1997 16:39

SAMPLE RESULTS

LAB NAME:

QUANTERRA, Richland

SDG:

8051

LAB SAMPLE ID:

70342102

MATRIX:

SOIL

CLIENT ID:

BAMPLE 2

DATE RECEIVED: 3/27/1997 10:30:00 AM

 i							
 ISOTOPE	RESULT	COUNTING ERROR (2s)	TOTAL ERROR (2s)	MDA	REPORT UNIT	YIELD	METHOD NUMBER
: · AM-241	1.485-01	2.3E-02	2.75-02	2.82E-03	pÇi/g	93.10%	RICHRC5072
U-234	1.082+00	9.3E-02	1.4E-01	2.11E-02	pCilg	81.10%	RICHRC5030
· U-235	3.46E-02	1.7E-02	1,8E-02	1.38E-02	ρCVg	81.10%	RICHRC5030
U-238	1.14E+00	9.6E-02	1.5E-01	1.57E-02	bCna	81.10%	RICHRC5030
PU-238	-1.69E-03	2.4E-03	2,4E-03	1,46E-02	pCVg	29.40%	RICHRC5010
· PU239/40	1.19E-01	3.2E-02	3.5E-02	5.73E-03	pCVg	29.40%	RICHRC5010

FAX NO. 303 966 3400 509 375 5590 P. 05

P.05

PPR-18-1997 16:39

QUANTERRA, RICHLAND

SAMPLE RESULTS

. LAB NAME:

QUANTERRA, Richland

8DG;

8051

LAB SAMPLE ID:

70342103

MATRIX:

SOIL

CLIENT ID:

BAMPLE 3

DATE RECEIVED:

3/27/1997 10:30:00 AM

4 4:	ISOTOPE	RESULT	COUNTING ERROR (28)	TOTAL ERROR (2*)	MDA	REPORT UNIT	YIELD	METHOD NUMBER
! :	AM-241	1.09E+00	6.1E-02	1.2E-01	5.07E-03	pCi/g	87.30%	RICHRC6072
:	U-234	8.49E-01	8,7E-02	1.2E-01	2.04E-02	pCi/g	76.60%	RICHRC5030
•	U-235	3.96E-02	1.9E-02	1.9E-02	5,95E-03	pCl/g	76.60%	RICHRC5030
	U-238	1.04E+00	9.6E-02	1.4E-01	1.72E-02	pCi/g	76.60%	RICHRC5030
•	PU-238	8.85E-03	1.0E-02	1,0E-02	7,98E-03	pCVg	20.20%	RICHRC5010
•	≓ U239/40	4.35E-01	7.2E-02	9.2E-02	1.67E-02	pCi/g	20.20%	RICHRC5010

SAMPLE RESULTS

; LAB NAME:

QUANTERRA, Richland

SDG:

8051

LAB SAMPLE ID:

70342104

MATRIX:

SOIL

CLIENT ID:

SAMPLE 4

DATE RECEIVED:

3/27/1997 10:30:00 AM

SOTOPE	RESULT	COUNTING ERROR (2s)	TOTAL ERROR (28)	MDA	REPORT	YIELD	METHOD NUMBER
: AM-241	1.28E-01	2.1E-02	2.5E-02	7.90E-03	pC!/g	85.80%	RICHRC5072
U-234	1.23E+00	2.3E-01	3.1E-01	7.01E-02	pCVg	83.20%	RICHRC5030
U-235	3.105-02	3.8E-02	3.8E-02	4.98E-02	pCi/g	83,20%	RICHRC5016
U-238	1. 16E+ 00	2.3E-01	3.0E-01	8.75E-02	pCl/g	83.20%	RICHRC5016
PU-238	0.00E+00	0.0E+00	6.7E-03	6.05E-03	pC V g	27.30%	RICHRC5010
PU239/40	1.09E-01	3.1E-02	3.4E-02	1.26E-02	pCl/g	27.30%	RICHRC5010

P. 07 5590 P. 07

509 375 5590

SAMPLE RESULTS

LAB NAME:

QUANTERRA, Richland

BDG;

8051

LAB SAMPLE ID:

70342105

MATRIX:

80IL

CLIENT ID:

SAMPLE 5

DATE RECEIVED:

\$/27/1997 10:30:00 AM

							
юоторе	RESULT	COUNTING ERROR (25)	TOTAL ERROR (2s)	MDA	REPORT UNIT	YIELD	METHOD NUMBER
AM-241	7.63E-02	1.7E-02	1.9E-02	6.70E-03	pCī/ġ	85.90%	RICHRC5072
U-284	1.185+00	2,2世-01	2.9E-01	6.92E-02	pCi/g	79.50%	RICHRC6030
U-235	8.86E-02	6.3E-02	6.4E-02	8.17E-02	pCi/g	79.50%	RICHRC5030
U-238	1.352+00	2.4E-01	3.2E-01	6.69E-02	pCVg	79.50%	RICHRC5030
PU-238	-1.45E-03	2.1E-03	2.1E-03	1.25 ⊞-02	pCl/g	35.80%	RICHRC5010
PU239/40	5.73E-02	2.1E-02	2.2E-02	1.02E-02	pCi/g	35.80%	RICHRC5010

QUANTERRA, RICHLAND

509 375 5590 P.08

SAMPLE RESULTS

LAB NAME:

QUANTERRA, Richland

SDG:

8051

LAB SAMPLE ID:

70342106

MATRIX:

SOIL

CLIENT ID:

SAM SDUP

DATE RECEIVED:

3/27/1997 10:30:00 AM

1	L							
	ISOTOPE	RESULT	COUNTING ERROR (2 s)	TOTAL ERROR (2 s)	MDA	REPORT UNIT	YIELD	METHOD NUMBER
	: AM-241	1.05≅-01	2.3E-02	2.6E-02	1,076-02	pCi/g	79.10%	RICHRO5072
	U-234	1.11E+00	9.5E-02	1.55-01	2,541-02	pCl/g	79.20%	RICHRC6030
	' U-23 5	4.73E-02	2.0E-02	2.1E-02	1.40E-02	PCNB	79.20%	RICHRC5030
	U-238	1.17E+00	9.8E-02	1.5E-01	2.35E-02	pCVg	79,20%	RICHRC5030
	PU-238	4.30E-03	7.9E-03	7,9E-03	1.628-02	pCl/g	23.40%	RICHRC5010
	: PU239/40	5,92E-02	2.5E-02	2.6E-02	7.28E-03	bcna	23.40%	RICHRC6010

DUPLICATE RESULTS

LAB NAME:

QUANTERRA, Richland

SDG:

8051

LAB SAMPLE ID:

R0342101

MATRIX:

SOIL

CLIENT ID:

SAMPLE 1

DATE RECEIVED:

3/27/1997 10:30:00

ORIG LAB SAMPLE ID: 70342101

POTOPE	DUP REBULT	COUNTING ERROR (2 s)	TOTAL ERROR (2	s) MDA	REPORT UNIT	YIELD	METHÓD NUMBER	ORIG RESULT	RPD
AM-241	5.10E-02	1,4E-02	1,5E-02	7.40E-03	pCVg	82.20%	RICHRC5072	4.34E-02	16.12%
U-234	1.03E+00	9.8E-02	1.5E-01	2.56E-02	pCl/g	71.60%	RICHRC5030	1.02E+00	%0 9 ,0
Ú-235	6.13E-02	2.5E-02	2.6E-02	2.00€-02	pCi/g	71.60%	RICHRC5030	3.96E-02	43,15%
U-238	1.04E+00	9.9E-02	1.5≝-01	1.81E-02	pCi/g	71.60%	RICHRC5030	1.07E+00	2.44%
PU-238	5.14E-08	1.3E-02	1.35-02	2.94E-0	p¢l/g	20.00%	RICHRC6010	1.185-02	77.29%
PŲ239/40	9.245-02	4.0E-02	4.3E-02	2.428-0	2 pCI/g	20.00%	RICHRC5010	7.61E-02	19.32%

BLANK RESULTS

LAB NAME:

QUANTERRA, Richiand

SDG:

8051

P. 10

Lab Bample ID:

T034211B

MATRIX:

GOIL

!	IBOTOPE	RESULT	COUNTING ERROR (2s)	TOTAL ERROR (26)	MDA	REPORT UNIT	YIELD	METHOD NUMBER
- i	AM-241	2.71E-03	4.4E-03	4.4E-03	8,40E-03	pCUg	89.70%	RICHRC5072
:	U-284	6.00E-03	8.2E-03	8.22-03	1.31E-02	pCi/g	73.90%	RICHRC5030
:	U-235	-1.86E-03	2.6E-03	2.6E-03	1.596-02	pCi/g	73,90%	RICHRC5030
!	U-238	-8.24E-04	1.8E-03	1.9E-03	1.31E-02	pCVg	73.90%	RICHRC5030
i	PU-238	0.00E+00	0.0E+00	5.3E-03	4.78E-03	pCi/g	48.30%	RICHRC5010
•	PU289/40	1.06E-03	3.8E-03	3.8E-0 3	9.97E-03	pCl/g	48.30%	RICHRC5010

509 375 5590 P.11

P. 11

LABORATORY CONTROL SAMPLE

LAB NAME:

QUANTERRA, Richland

SDG:

8051

LAB SAMPLE ID:

T0342118

MATRIX:

SOIL

-									
	ISOTOPE	RESULT	COUNTING ERROR (2 s)	TOTAL ERROR (2s)	MDA	REPORT UNIT	YIELD	EXPECTED	RECOVERY
	AM-241	6.45E-01	4.9E-02	8.1E-02	5.20E-03	pCi/g	88.60%	6.79E-01	95.03%
	U-234	1.74E+00	1,2E-01	2.1E-01	1.59E-02	pCVg	79.60%	1.782+00	100.72%
	U-235	6.61 E-0 2	2.4E-02	2.5E-02	1.75E-02	pCVg	79.60%	7.90E-02	83.67%
	U-238	1.76E+00	1.2E-01	Z.ZE-01	2,02E-02	pCi/g	79.60%	1.81E+00	86.94%
	PU239/40	4.47E-01	6.2E-02	8.2E-02	5.79E-03	pCī/g	40.00%	4.52E-01	99.02%